UNITED STATES DEPARTMENT OF COMMERCE/ United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/775,335	02/11/2004	Paul Kimelman	550-519	8558
23117 NIXON & VA	7590 11/01/2007 NDERHYE, PC	EXAMINER		
901 NORTH GLEBE ROAD, 11TH FLOOR			KAWSAR, ABDULLAH AL	
ARLINGTON	ARLINGTON, VA 22203		ART UNIT	PAPER NUMBER
			2195	
			MAIL DATE	DELIVERY MODE
			11/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Summary	10/775,335	KIMELMAN ET AL.			
Office Action Summary	Examiner	Art Unit			
The SEALLING DATE of this communication of	Abdullah-Al Kawsar	2195			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perion. - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 1.136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. (D) (35 U.S.C. § 133).			
Status					
	1) Responsive to communication(s) filed on <u>06/17/2004</u> .				
,-					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
 4) ☐ Claim(s) 1-26 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-26 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9) ☐ The specification is objected to by the Examiner. 10) ☑ The drawing(s) filed on 10 December 2004 is/are: a) ☑ accepted or b) ☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 12/10/2004	4) Interview Summan Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	Pate			

Application/Control Number: 10/775,335

Art Unit: 2195

DETAILED ACTION

1. Claims 1-26 are pending.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1-26 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
 - a. The following claim language is indefinite or unclear:
 - i. Claim 1 line 8, "to detect" it is unclear who detects if one or more interrupt available (i.e. interrupt controller will detect if more interrupt are available?). Claim 1 it is not clearly indicated what is the step the system will take if there are lower priority interrupts.
 - ii. Claim 3 line 3, it is unclear what is meant by "execution of a non-interrupt triggered program" (i.e. execution of a program that is not an interrupt request or interrupt process?)
 - iii. Claim 14 has the same deficiency as claim 1 above.
 - iv. Claim 16 has the same deficiency as claim 3 above.

Application/Control Number: 10/775,335 Page 3

Art Unit: 2195

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1-7, 10-12, 14-20 and 23-25 rejected under 35 U.S.C. 103(a) as being unpatentable over Miu et al.(Miu) US Patent No. 4,488,227, in view of Ishimoto et al.(Ishimoto) US Patent No. 5,410,715.
- 6. As per claim 1, Miu teaches the invention substantially as claim including Apparatus for processing data (col 1, lines 9-12), said apparatus comprising:

processing logic operable to perform processing operations under control of program instructions(col 4, lines 14-19); and

an interrupt controller operable(col 4, lines 22-24):

in response to a first interrupt event, to save to a stack data store first state data associated with processing being performed when said first interrupt event occurred and to redirect program instruction execution to a first interrupt handling program (col 4, lines 15-30);

(i) if such a said one or more second interrupt events has occurred, then to redirect program instruction execution to a second interrupt handling program without saving(neither pushed nor popped) further state data to said stack data store(abstract lines 10-17 and col 4 lines 36-43); and

Application/Control Number: 10/775,335 Page 4

Art Unit: 2195

- (ii) if such a said one or more second interrupt event has not occurred, then to reload said first state data from said stack data store and to resume said processing that was interrupted by said first interrupt event (col 3 lines 4-12).
- 7. Miu did not teach detecting one or more higher priority interrupts during the execution of the first interrupt.
- 8. However, Ishimoto discloses that upon completion of said first interrupt handling program, to detect if one or more second interrupt events having a higher priority than said processing that was interrupted by said first interrupt event has occurred during execution of said first interrupt handling program (col 4, lines 4-12, lines 16-34).
- Therefore, it would have been obvious to a person of ordinary skill in art at the time of 9. invention was made to incorporate the teaching of Ishimoto into the method of Miu for detecting one or more higher priority interrupt during the execution of the first interrupt. The modification would have been obvious because one of the ordinary skills of the art would want to detect the higher priority level interrupts for execution for better interrupt handling and control.
- 10. As per claim 2, Miu teaches wherein said first state data includes one or more of: a program counter value corresponding a current program execution point (figure 5, sheet 1 element 63, 66, and 64);

Application/Control Number: 10/775,335

Art Unit: 2195

a processor status register value corresponding one or more state variables of said apparatus (col 10, lines 14-16); and

one or more data processing register values corresponding to data values held within at least some general purpose data processing registers of said apparatus (col 10, lines 35-55).

11. As per claim 3, Ishimoto teaches wherein said processing being performed when said first interrupt event occurred was one of (col 4 lines 4-14):

execution of an active interrupt handling program, said interrupt controller being a nested interrupt controller permitting a pending interrupt handling program to pre-empt said active interrupt handling program if said active interrupt handling program has a lower priority than said pending interrupt handling program (fig 1,element 1; col 1, lines 31-40; col 7, lines 60-63; col 10 lines 25-28).

Ishimoto does not disclose specifically the processing being the execution of a noninterrupt triggered program.

However, Miu teaches that execution of a non-interrupt triggered program (col 3, lines 60-66).

12. As per claim 4, Ishimoto teaches, wherein said first interrupt event and said one or more second interrupt events each have respective priority values, said interrupt controller being operable to compare said respective priority values to determine if any of said one or second interrupts event has a higher priority than said first interrupt event and if so to pre-empt

Art Unit: 2195

execution of said first interrupt handling program with execution of said a second interrupt handling program (col 4, lines 65-68; col 5, lines 1-19).

- 13. As per claim 5, Ishimoto teaches wherein said respective priority values are programmable values (col 4, lines 61-64).
- 14. As per claim 6, Ishimoto teaches wherein said interrupt controller is responsive to a late interrupt signal during reloading of said first state data to abort a return to said processing being performed when said first interrupt event occurred and instead redirect execution to an interrupt handling program associated with said late interrupt signal (col 9, lines 5-22).
- 15. As per claim 7, Ishimoto teaches wherein if such a said second interrupt event has occurred, then redirection of program instruction execution to said second interrupt handling program occurs without reloading said first state data from said stack data store (col 9, lines 5-55).
- 16. As per claim 10, Miu teaches wherein transfer of data values to said stack data store under control of said interrupt controller is performed in parallel with and asynchronously to loading of program counter location and program instructions into an instruction pipeline prior to execution (col 10, lines 35-43).

Application/Control Number: 10/775,335 Page 7

Art Unit: 2195

17. As per claim 11, Miu teaches, wherein said interrupt controller is responsive to execution

of a return instruction with a predetermined link address value loaded within a link register to

perform a return from interrupt operation (col 2, lines 54-59).

18. As per claim 12, Ishimoto teaches wherein said stack data store is a stack memory (col 7,

lines 37-41).

19. As per claims 14-20 and 23-25, they are method claims of claim 1-7 and 10-12 above.

Therefore, they are rejected under the same rational as claim 1-7 and 10-12 above.

20. Claims 8, 9, 21 and 22 rejected under 35 U.S.C. 103(a) as being unpatentable over Miu et

al.(Miu) US Patent No. 4,488,227, in view of Ishimoto et al.(Ishimoto) US Patent No. 5,410,715,

and further in view of McMahan. (McMahan) US Patent No. 5,706,491.

21. As per claim 8, the combined method of Miu and Ishimoto does not specifically disclose

repairing to undo any partial return call.

22. However, McMahan teaches wherein upon aborting said return, said stack data store is

repaired to undo any alterations made by partial completion of said return (col 3, lines 54-67; col

4, lines 1-20).

Application/Control Number: 10/775,335

Art Unit: 2195

- 23. Therefore, it would have been obvious to a person of ordinary skill in art at the time of invention was made to incorporate the teaching of McMahan into the combined method of Ishimoto and Miu for repairing any unsuccessful return. The modification would have been obvious because one of the ordinary skills of the art would want to repair the unsuccessful return for future execution of unfinished processes.
- 24. As per claim 9, McMahan teaches wherein said repair includes repairing one or more of stack pointer data and link register data (col 4, lines 4-20).
- 25. As per claims 21 and 22, they are method claims of claim 8 and 9 above. Therefore, they are rejected under the same rational as claim 8 and 9 above.
- 26. Claims 13 and 26 rejected under 35 U.S.C. 103(a) as being unpatentable over Miu et al.(Miu) US Patent No. 4,488,227, in view of Ishimoto et al.(Ishimoto) US Patent No. 5,410,715, and further in view of Raasch et al.(Raasch) US Patent No. 5,237,692.
- 27. As per claim 13, the combined method of Miu and Ishimoto does not specifically disclose of entering a low power mode when no pending interrupt is available.
- 28. However, Raasch teaches wherein when there are no pending interrupts said apparatus enters a low power mode in which processing is halted awaiting an interrupt event (col 2, lines 63-68; col 3, lines 1-4).

Page 9

Application/Control Number: 10/775,335

Art Unit: 2195

29. Therefore, it would have been obvious to a person of ordinary skill in art at the time of invention was made to incorporate the teaching of Raasch into the combined method of Ishimoto and Miu for entering a low power mode when no interrupt to process. The modification would have been obvious because one of the ordinary skills of the art would want to enter a low power mode to conserve power and system resources.

30. As per claim 26, it is a method claim of claim 13 above. Therefore, it is rejected under the same rational as claim 13 above.

Conclusion

31. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Miu et al.(US Patent No. 4488277); Ishimoto et al.(US Patent No. 5410715);

Mcmahan(US Patent No. 5706491); Raasch et al.(US Patent No. 5237692); Cox(US Patent No. 6081867).

32. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Abdullah-Al Kawsar whose telephone number is 571-270-3169. The examiner can normally be reached on 7:30am to 5:00pm, EST.

Application/Control Number: 10/775,335 Page 10

Art Unit: 2195

33. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng Ai T. An can be reached on 571-272-3756. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

34. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Abdullah Kawsar Patent Examiner AU 2195

SUPERVISORY PATENT EXAMINEP
TECHNOLOGY CENTER 2100